

Scientific publications by Dr. Leif Laaksonen

- (1.) J.P. Desclaux, L. Laaksonen and P. Pyykkö: Finite-difference Dirac-Fock calculations of electric dipole polarizabilities for (ns)¹ and (ns)² atoms. *J. Phys. B: At. Mol. Phys.* 14 (1981) 419.
- (2.) R.G. Egdell, M. Hotokka, L. Laaksonen, P. Pyykkö and J.G. Snijders: Photoelectron spectra and their relativistic interpretation for gaseous bismuth trihalides. *Chem. Phys.* 72 (1982) 237.
- (3.a) A. Viste, M. Hotokka, L. Laaksonen and P. Pyykkö: Relativistically parameterized extended Hückel calculations. VII. Nuclear spin-spin coupling tensors and densities of states for cluster models of CdTe, HgTe and PbTe. *Chem. Phys.* 72 (1982) 225.
- (3.b) M. Hotokka, L. Laaksonen, P. Pyykkö and A. Viste: Relativistic extended Hückel studies of cluster models of solid HgTe, CdTe, and PbTe: Densities of states and nuclear spin-spin coupling. *Int. J. Quantum Chem.* 23 (1983) 1685.
- (4.) L. Laaksonen, P. Pyykkö and D. Sundholm: Two-dimensional fully numerical solutions of molecular Schrödinger equations. I. One-electron molecules. *Int. J. Quantum Chem.* 23 (1983) 309.
- (5.) L. Laaksonen, P. Pyykkö and D. Sundholm: Two-dimensional fully numerical solutions of molecular Schrödinger equations. II Solution of the Poisson equation and results for singlet states of H₂ and HeH⁺. *Int. J. Quantum Chem.* 23 (1983) 319.
- (6.) L. Laaksonen, P. Pyykkö and D. Sundholm: Two-dimensional fully numerical solutions of molecular Hartree-Fock equations: LiH and BH. *Chem. Phys. Lett.* 96 (1983) 1.
- (7.) L. Laaksonen: Fully numerical, one- and two-dimensional solutions of Molecular Schrödinger and Dirac equations; The lone-pair problem. *Theses for the degree of Doctor of Technology, Åbo Akademi 1983.*
- (8.) L. Laaksonen, D. Sundholm and P. Pyykkö: Two-dimensional fully numerical molecular calculations. IV. Hartree-Fock-Slater results for second row diatomic molecules. *Int. J. Quantum Chem.* 27 (1985) 601.
- (9.) P. Pyykkö and L. Laaksonen: Relativistically parameterized extended Hückel calculations. 8. Double-zeta parameters for the Actinoids Th, Pa, U, Np, Pu, and Am and an application on Uranyl. *J. Phys. Chem.* 88 (1984) 4892.
- (10.) L. Laaksonen, D. Sundholm and P. Pyykkö: Two-dimensional fully numerical MCSCF calculations on H₂ and LiH: The dipole moment of LiH. *Chem. Phys. Lett.* 105 (1984) 573.

- (11.) L. Laaksonen and I.P. Grant: Two-dimensional fully numerical solutions of molecular Dirac equations. One-electron molecules. *Chem. Phys. Lett.* 109 (1984) 485.
- (12.) D. Sundholm, P. Pyykkö, L. Laaksonen and A. Sadlej: Nuclear quadrupole moment of lithium from combined fully numerical and discrete basis set calculations on LiH. *Chem. Phys. Lett.* 112 (1984) 1.
- (13.) L. Laaksonen and I.P. Grant: Two-dimensional fully numerical solutions of molecular Dirac equations. Results for ground singlet states of H₂ and HeH⁺. *Chem. Phys. Lett.* 112 (1984) 157.
- (14.) D. Sundholm, P. Pyykkö and L. Laaksonen: Two-dimensional, fully numerical molecular calculations, 8. Electric field gradients of diatomic hydrides LiH - ClH at the HFS level. *Mol. Phys.* 55 (1985) 627.
- (15.) D. Sundholm, P. Pyykkö and L. Laaksonen: Fully numerical HFS calculations on Cr₂: basis-set error on the bond length and hybridization of the semicore orbitals. *Finn. Chem. Lett.* (1985) 51.
- (16.) D. Sundholm, P. Pyykkö and L. Laaksonen: Two-dimensional, fully numerical molecular calculations X. Hartree-Fock results for He₂, Li₂, Be₂, HF, OH⁻, N₂, CO, BF, NO⁺ and CN⁻. *Mol. Phys.* 56 (1985) 1411.
- (17.) D. Sundholm, P. Pyykkö, L. Laaksonen and A.J. Sadlej: Nuclear quadrupole moment of nitrogen from combined fully numerical and discrete basis-set calculations on NO⁺ and N₂. *Chem. Phys.* 101 (1986) 219.
- (18.) P. Pyykkö, D. Sundholm and L. Laaksonen: Two-dimensional, fully numerical molecular calculations. XI. Hartree-Fock results for BeH⁺, LiHe⁺, CH⁺, NeH⁺, C₂, BeO, LiF, NaH, MgH⁺, HeNe, LiNa and F₂. *Mol. Phys.* 60 (1987) 597.
- (19.) (a) J.B. Rosenholm and L. Laaksonen: Partial molar enthalpies of the components of a quaternary W/O-microemulsion system. *J. of Colloid and Interface Science* 121 (1988) 309.
(b) J.B. Rosenholm and L. Laaksonen: Enthalpic Properties of a Quaternary Microemulsion System. *Finn. Chem. Lett.* (1985) 159.
- (20.) L. Laaksonen, P. Pyykkö and D. Sundholm: Fully numerical Hartree-Fock methods for molecules. *Comp. Phys. Rep.* 4 (1987) 313.
- (21.) D. Sundholm, P. Pyykkö and L. Laaksonen: Two-dimensional, fully numerical solutions of second-order Dirac equations for diatomic molecules. Part 3. *Physica Scripta* 36 (1987) 400.
- (22.) P. Pyykkö, G.H.F. Diercksen, F. Müller-Plathe and L. Laaksonen: Fully numerical Hartree-Fock calculations on the third-row diatoms AlF, SiO, PN, CS, BCl, SH⁻ and P₂. *Chem. Phys. Lett.* 34 (1987) 575.

- (23.) L. Laaksonen, I.P. Grant and S. Wilson: The Dirac equation in the algebraic approximation. VII. Molecular self-consistent-field studies using basis sets of Gaussian-type functions. *J. Phys. B: At. Mol. Opt. Phys.* 21 (1988) 1969.
- (24.) P. Pyykkö, G.H.F Diercksen, F. Müller-Plathe and L. Laaksonen: Fully-Numerical Hartree-Fock Calculations on NaF, MgO, BeO and ArH⁺. On the Dipole Moment of ArH⁺. *Chem Phys. Lett.* 141 (1987) 535.
- (25.) L. Laaksonen, F. Müller-Plathe and G.H.F Diercksen: On the Basis-Set Truncation Error: Fully-numerical RHF Calculations on Open-Shell Hydrides. *J. Chem. Phys.* 89 (1988) 4903.
- (26.) F. Müller-Plathe, G.H. Diercksen and L. Laaksonen: Application of the Two-dimensional Fully-Numerical RHF Method To Open-Shell Hydrides: M. Defranceschi and J. Dalhalle (eds). *Numerical Determination of the Electronic Structure of Atoms, Diatomic and Polyatomic molecules.* (1989) 311.
- (27.) F. Müller-Plathe and L. Laaksonen: Hartree-Fock-limit properties for SiC, SiN, Si₂, Si₂^{*}, and SiS. *Chem. Phys. Lett.* 160 (1989) 175.
- (28.) L. Laaksonen, D. Sundholm and P. Pyykkö: Fully Numerical Hartree-Fock Methods for Molecules. K. Kankaala and R. Nieminen (eds). *Scientific Computing in Finland. CSC Research Reports R1* (1989) 183.
- (29.) L. Holm, L. Laaksonen, M. Kaartinen, T.T. Teeri and J.K.C. Knowles: Molecular modelling study of antigen binding to oxazolone-specific antibodies: The Ox1 idiotypic IgG and its mature variant with increased affinity to 2-phenyloxazolone. *Protein Engineering* 3 (1990) 403.
- (30.) A. Huhtikangas, A. Martinsen, A. Yliniemelä, H. Korschin and L. Laaksonen: Potential biosynthetic implications from electron distribution in tropanone and tropanol, precursors of tropane alkaloids. *Acta Pharm. Fennica* 99 (1990) 7.
- (31.) P. Pyykkö, D. Sundholm, L. Laaksonen and J. Ohlsen: Two fully Numerical Methods in Quantum Chemistry. *Proc. Europhysics Conference on Computational Physics, Amsterdam 1990, World Scientific Singapore,* (1991) 455.
- (32.) A. Huhtikangas, A. Martinsen, R. Laatikainen, M. Niemitz, H. Korschin and L. Laaksonen: Solvent-adducting precursor potential in scopolamine biosynthesis. *Phytochem. (Life Sci. Adv.)* 11 (1992) 9.
- (33.) (a) L. Laaksonen: A graphics program for the analysis and display of molecular dynamics trajectories. *J. Mol. Graph.* 10 (1992) 33.
(b) L. Laaksonen: SCARECROW: A graphical window into molecular dynamics. *Kemia-Kemi* 18 (1991) 981.
(c) L. Laaksonen: SCARECROW, a molecular graphics system for the display and analysis of molecular dynamics trajectories. *User's Manual* (1992).

- (34.) (a) L. Kuutti, L. Laaksonen and T.T. Teeri: Interaction studies of the tail domain of cellobiohydrolase I and crystalline cellulose using molecular modeling. *J. Chim. Phys.* 88 1991 2663.
(b) *AIP Conference proceedings 239, Advances in Biomolecular Simulation, Obernai, France (1991) 348.*
- (35.) T. Reinikainen, L. Ruohonen, T. Nevanen, L. Laaksonen, P. Kraulis, T.A. Jones, J.K.C. Knowles and T. Teeri: *Investigation of the function of mutated cellulose binding domains of Trichoderma reesei Cellobiohydrolase I. PROTEINS: Structure, Function, and Genetics 14 (1992) 475.*
- (36.) A.-M. Hoffrén, L. Holm, L. Laaksonen, T. Teeri and O. Teleman: Molecular Modelling Studies of Hapten Binding to the Oxazolone-1 Antibodies. *Immunomethods 1 (1992) 80.*
- (37.) L. Kuutti, J. Pere, B. Henrissat, H. Chanzy, T. Reinikainen, L. Laaksonen, M. Srisodsuk and T.T. Teeri: Adsorption and interactions of cellobiohydrolase I from *Trichoderma reesei* on microcrystalline cellulose. *Cellulosics: Pulp, Fibre and Environmental Aspects, editors J. F. Kennedy, G. O. Phillips and P. A. Williams, Ellis Horwood Limited (1993) 391.*
- (38.) L. Laaksonen and J.B. Rosenholm: Molecular dynamics simulations of the water/octanoate interface in the presence of micelles. *Chem. Phys. Lett.* 216 (1993) 429.
- (39.) F. Müller-Plathe, L. Laaksonen and W.F. van Gunsteren: Cooperative Effects in the Transport of Small molecules through an Amorphous Polymer Matrix. *J. Mol. Graph.* 11 (1993) 118.
- (40.) A. Huovilainen, L. Kinnunen, T. Pöyry, L. Laaksonen, M. Roivainen and T. Hovi: Poliovirus type 3/Saukett: Antigenic and structural correlates of sequence variation in the capsid proteins. *Virology* 199 (1994) 228.
- (41.) S. Jääskeläinen, S. Linko, T. Raaska, L. Laaksonen and Y.Y Linko: Molecular modelling of lipase-catalyzed polyester synthesis. *J. Mol. Biotechnology* 52 (1997) 267.
- (42.) D.L. Bergman, L. Laaksonen and A. Laaksonen: Visualization of Solvation Structures in Liquid Mixtures. *J. Mol. Graphics & Modelling* 15 (1997) 301.
- (43.) T. Nyrönen, M. Pihlavisto, J. M. Peltonen, A.-M. Hoffrén, M. Varis, T. Salminen, S. Wurster, A. Marjamäki, L. Kanerva, E. Katainen, L. Laaksonen, J.-M. Savola, M. Scheinin, and M. S. Johnson: Molecular mechanism for agonist-promoted α_2A -adrenoceptor activation by noradrenaline and adrenaline. *Mol. Pharmacol* 59 (2001) 1343.
- (44.) P. Arzberger, P. Schroeder, A. Beaulieu, G. Bowker, K. Casey, L. Laaksonen, D. Moorman, P. Uhlir and P. Wouters: An International Framework to Promote Access to Data. *Science* 303 (2004) 1777.
- (45.) P. Arzberger, P. Schroeder, A. Beaulieu, G. Bowker, K. Casey, L. Laaksonen, D. Moorman, P. Uhlir, P. Wouters: Promoting Access to Public Research Data for Scientific, Economic, and Social Development. *Data Science Journal* 3 (2004) 135.

- (46.) J. Takatalo, G. Nyman and L. Laaksonen: Components of human experience in virtual environments. *Computers in Human Behavior* 24 (1) (2008), 1-15.

Other publications and documents/Muita julkaisuja ja dokumentteja

- 1) L. Laaksonen sekä S. Torvinen: GaAs-proessorit Super-Crayhin. Crayn supertietokoneet. *Proessori 9B (1985) 20.*
- 2) H. Korschin sekä L. Laaksonen: Korkeakoulujen palveluosaston tuki kemian tutkimukselle. *Kemia-Kemi 14 (1987) 541.*
- 3) L. Laaksonen sekä H. Lehväslaiho, Löysin tietoa Tiedon Valtatieltä. *Kemia-Kemi 23 (1996) 190.*
- 4) L. Laaksonen sekä T. Raaska, Possibilities in Computational Chemistry. Logic, Mathematics and the Computer. *Foundations: History, Philosophy and Applications. Eds. C. Gefwert, P. Orponen and J. Seppänen, Finnish Artificial Intelligence Society, Symposium series 14 (1996) 276.*
- 5) P. Arzberger, Peter Schröder, G. Bowker, S. Eckelmann, T. Hubbard, K. Kamitani, L. Laaksonen, G. Maass, D. McEachern, D. Moorman, M. Negishi, P. Uhler, M. Wada, A. P. Wierzbicki, J. Windmueller. *OECD Follow Up Group On Issues of Access to Publicly Funded Research Data (2003).*
- 6) S. Ranebo et al. *Rekommendationer för ett nordiskt program för avancerad Internetforskning och -utveckling, NORDUnet3 (A Nordic eScience Area), Pohjoismaiden Ministerineuvosto/Nordic Council of Ministers (2003).*